

MASCHI A MACCHINA - MACHINE TAPS

MASCHI A MACCHINA **HSSE M35 5%Co**

SCANALATURE ELICOIDALI - ELICA DESTRA 40° - Imbocco "C"

Filettatura metrica ISO/DIN 13 - UNI 4535 a passo grosso - 6H

MACHINE TAPS **HSSE M35 5%Co**


SPIRAL FLUTES - RIGHT HELIX 40° - Chamfer form "C"


ISO Metric Coarse Thread - UNI 4535 - DIN 13 - 6H

 HSSE



DIN 371



| DIN 371 | | | | | | | 4512.3 | 4512.V3 | 4512.T3 | 4512.F3 |
|---------|------|----------------|----------------|----------------|-----|---|------------|---------|---------|---------|
| D | p | L ₁ | L ₂ | d ₂ | ∠ |  | nudi/naked | ST | TIN | HPC |
| 2 | 0,4 | 45 | 7 | 2,8 | 2,1 | 1,60 | 27,28 | 30,14 | * | * |
| 2,5 | 0,45 | 50 | 9 | 2,8 | 2,1 | 2,05 | 27,28 | 30,14 | * | * |
| 3 | 0,5 | 56 | 5 | 3,5 | 2,7 | 2,50 | 19,80 | 22,99 | 28,60 | 30,85 |
| 3,5 | 0,6 | 56 | 7 | 4,0 | 3,0 | 2,90 | 26,07 | 30,03 | 35,31 | 35,44 |
| 4 | 0,7 | 63 | 7 | 4,5 | 3,4 | 3,30 | 19,80 | 22,99 | 28,60 | 30,85 |
| 4,5 | 0,75 | 70 | 8 | 6,0 | 4,9 | 3,75 | 21,89 | 25,19 | 31,13 | - |
| 5 | 0,8 | 70 | 8 | 6,0 | 4,9 | 4,20 | 19,80 | 22,99 | 28,60 | 30,85 |
| 6 | 1 | 80 | 10 | 6,0 | 4,9 | 5,00 | 19,80 | 22,99 | 28,60 | 30,85 |
| 7 | 1 | 80 | 10 | 7,0 | 5,5 | 6,00 | 26,07 | 30,47 | 38,50 | 36,66 |
| 8 | 1,25 | 90 | 13 | 8,0 | 6,2 | 6,75 | 23,21 | 27,39 | 36,08 | 40,14 |
| 10 | 1,5 | 100 | 15 | 10,0 | 8,0 | 8,50 | 26,40 | 31,35 | 41,47 | 45,84 |

*Prezzo a richiesta / Price on demand

Materiali / Application: **nudo / naked:** P1 - P2 - P3 - P4 / N1 - N2 / N6 - N7

ST: P1 - P2 - P3 - P4 / N1 - N2 / N6 - N7

TIN: P1 - P2 - P3 - P4 / K3 - K4 / N1 - N2 - N3 / N6 - N7

HPC: P1 - P2 - P3 - P4 / M1 - M2 / K3 - K4 / N2 - N3 / N7

N.B.: ≥ M8 centro femmina / ≥ M8 female center

MASCHI A MACCHINA - MACHINE TAPS

MASCHI A MACCHINA **HSSE M35 5%Co**

SCANALATURE ELICOIDALI - ELICA DESTRA 40° - Imbocco "C"

Filettatura metrica ISO/DIN 13 - UNI 4535 a passo grosso - 6H

MACHINE TAPS **HSSE M35 5%Co**

SPIRAL FLUTES - RIGHT HELIX 40° - Chamfer form "C"

ISO Metric Coarse Thread - UNI 4535 - DIN 13 - 6H

 HSSE



4514.3




4514.V3




4514.T3




4514.F3



DIN 376



| DIN 376 | | | | | | | 4514.3 | 4514.V3 | 4514.T3 | 4514.F3 |
|---------|------|----------------|----------------|----------------|------|---|------------|---------|---------|---------|
| D | p | L ₁ | L ₂ | d ₂ | ∠ |  | nudi/naked | ST | TIN | HPC |
| 4 | 0,7 | 63 | 7 | 2,8 | 2,1 | 3,30 | * | * | * | * |
| 5 | 0,8 | 70 | 8 | 3,5 | 2,7 | 4,20 | 25,52 | 28,60 | 34,32 | 36,70 |
| 6 | 1 | 80 | 10 | 4,5 | 3,4 | 5,00 | 25,52 | 28,60 | 34,32 | 36,70 |
| 8 | 1,25 | 90 | 13 | 6,0 | 4,9 | 6,75 | 25,96 | 30,25 | 38,28 | 41,22 |
| 10 | 1,5 | 100 | 15 | 7,0 | 5,5 | 8,50 | 28,38 | 32,12 | 42,13 | 48,08 |
| 12 | 1,75 | 110 | 18 | 9,0 | 7,0 | 10,25 | 33,22 | 37,51 | 51,81 | 58,00 |
| 14 | 2 | 110 | 20 | 11,0 | 9,0 | 12,00 | 46,97 | 53,24 | 67,43 | 80,03 |
| 16 | 2 | 110 | 20 | 12,0 | 9,0 | 14,00 | 52,14 | 60,94 | 76,23 | 84,60 |
| 18 | 2,5 | 125 | 25 | 14,0 | 11,0 | 15,50 | 79,42 | 87,67 | 106,26 | 119,15 |
| 20 | 2,5 | 140 | 25 | 16,0 | 12,0 | 17,50 | 87,23 | 95,70 | 121,33 | 137,42 |
| 22 | 2,5 | 140 | 25 | 18,0 | 14,5 | 19,50 | 99,33 | 110,22 | 138,93 | 169,35 |
| 24 | 3 | 160 | 30 | 18,0 | 14,5 | 21,00 | 121,99 | 132,66 | 164,34 | 192,67 |
| 27 | 3 | 160 | 30 | 20,0 | 16,0 | 24,00 | 159,39 | 170,39 | 211,64 | 238,45 |
| 30 | 3,5 | 180 | 35 | 22,0 | 18,0 | 26,50 | 209,00 | 221,10 | 281,27 | 324,04 |
| 33 | 3,5 | 180 | 35 | 25,0 | 20,0 | 29,50 | 292,38 | 303,60 | 356,84 | * |
| 36 | 4 | 200 | 40 | 28,0 | 22,0 | 32,00 | 414,48 | 433,84 | 524,15 | * |
| 39 | 4 | 200 | 40 | 32,0 | 24,0 | 35,00 | 553,19 | 572,55 | * | * |
| 42 | 4,5 | 200 | 40 | 32,0 | 24,0 | 37,50 | 654,94 | 684,09 | * | * |
| ° 45 | 4,5 | 220 | 50 | 36,0 | 29,0 | 40,50 | 717,86 | 751,74 | * | * |
| ° 48 | 5 | 250 | 50 | 36,0 | 29,0 | 43,00 | 947,21 | 986,15 | * | * |
| ° 52 | 5 | 250 | 50 | 40,0 | 32,0 | 47,00 | 1082,95 | 1141,14 | * | * |

° Acciaio HSS / HSS steel

*Prezzo a richiesta / Price on demand

Materials / Application: ST: P1 - P2 - P3 - P4 / N1 - N2 / N6 - N7

TIN: P1 - P2 - P3 - P4 / K3 - K4 / N1 - N2 - N3 / N6 - N7

HPC: P1 - P2 - P3 - P4 / M1 - M2 / K3 - K4 / N2 - N3 / N7

N.B.: ≥ M8 centro femmina / ≥ M8 female center