

MASCHI A MACCHINA - MACHINE TAPS

MASCHI A MACCHINA **HSSE M35 5%Co**

SCANALATURE DIRITTE - Imbocco "C"


Filettatura metrica ISO/DIN 13 - UNI 4535 a passo fine - 6H

MACHINE TAPS **HSSE M35 5%Co**


STRAIGHT FLUTES - Chamfer form "C"


ISO Metric Fine Thread - UNI 4535 - DIN 13 - 6H

 HSSE



DIN 374



DIN 374							4521.0	4521.LO
D	P	L ₁	L ₂	d ₂	∠			Filettatura SINISTRA LEFT Hand
5	0,5	70	13	3,5	2,7	4,50	31,68	-
6	0,5	80	16	4,5	3,4	5,50	31,68	-
6	0,75	80	16	4,5	3,4	5,25	31,68	46,20
7	0,75	80	16	5,5	4,3	6,25	32,67	-
8	0,5	90	18	6,0	4,9	7,50	27,17	-
8	0,75	90	18	6,0	4,9	7,25	27,17	-
8	1	90	18	6,0	4,9	7,00	24,64	37,62
9	1	90	18	7,0	5,5	8,00	37,18	-
10	0,5	90	15	7,0	5,5	9,50	32,12	-
10	0,75	90	15	7,0	5,5	9,25	32,12	-
10	1	90	15	7,0	5,5	9,00	30,69	41,14
10	1,25	100	20	7,0	5,5	8,75	28,05	41,14
11	0,75	90	20	8,0	6,2	10,25	48,51	-
11	1	90	20	8,0	6,2	10,00	48,51	-
12	0,5	100	22	9,0	7,0	11,50	40,70	-
12	0,75	100	22	9,0	7,0	11,25	40,70	-
12	1	100	22	9,0	7,0	11,00	30,80	46,53
12	1,25	100	22	9,0	7,0	10,75	30,80	45,43
12	1,5	100	22	9,0	7,0	10,50	30,80	-
13	1	100	22	11,0	9,0	12,00	36,30	-
13	1,25	100	22	11,0	9,0	11,75	36,30	-
13	1,5	100	22	11,0	9,0	11,50	36,30	-
14	1	100	22	11,0	9,0	13,00	40,70	-
14	1,25	100	22	11,0	9,0	12,75	40,70	-
14	1,5	100	22	11,0	9,0	12,50	39,38	59,40
15	1	100	22	12,0	9,0	14,00	49,50	-
15	1,25	100	22	12,0	9,0	13,75	49,50	-
15	1,5	100	22	12,0	9,0	13,50	49,50	-
16	1	100	22	12,0	9,0	15,00	48,40	-
16	1,25	100	22	12,0	9,0	14,75	48,40	-
16	1,5	100	22	12,0	9,0	14,50	44,00	66,11
17	1	110	25	14,0	11,0	16,00	64,57	-
17	1,5	110	25	14,0	11,0	15,50	64,57	-
18	1	110	25	14,0	11,0	17,00	66,99	-

Materiali / Application: P1 - P2 - P3 - P4 / K4 / N2 - N3 / N7 - N8 / N11

MASCHI A MACCHINA **HSSE M35 5%Co**

SCANALATURE DIRITTE - Imbocco "C"





Filettatura metrica ISO/DIN 13 - UNI 4535 a passo fine - 6H

MACHINE TAPS **HSSE M35 5%Co**


STRAIGHT FLUTES - Chamfer form "C"


ISO Metric Fine Thread - UNI 4535 - DIN 13 - 6H

 HSSE



DIN 374



DIN 374							4521.0	4521.L0
D	P	L ₁	L ₂	d ₂	∠			Filettatura SINISTRA LEFT Hand
18	1,5	110	25	14,0	11,0	16,50	59,07	86,13
18	2	125	33	14,0	11,0	16,00	72,60	-
19	1	110	25	14,0	11,0	18,00	89,43	-
19	1,5	110	25	14,0	11,0	17,50	89,43	-
20	1	125	25	16,0	12,0	19,00	75,24	-
20	1,5	125	25	16,0	12,0	18,50	68,20	97,35
20	2	140	33	16,0	12,0	18,00	82,50	-
21	1	125	25	16,0	12,0	20,00	112,86	-
21	1,5	125	25	16,0	12,0	19,50	112,86	-
22	1	125	25	18,0	14,5	21,00	87,12	-
22	1,25	125	25	18,0	14,5	20,75	87,12	-
22	1,5	125	25	18,0	14,5	20,50	69,52	*
22	2	140	33	18,0	14,5	20,00	92,51	-
23	1	125	25	18,0	14,5	22,00	119,35	-
23	1,5	125	25	18,0	14,5	21,50	119,35	-
24	1	140	25	18,0	14,5	23,00	96,25	-
24	1,5	140	25	18,0	14,5	22,50	91,74	-
24	2	140	25	18,0	14,5	22,00	101,09	-
25	1	140	25	18,0	14,5	24,00	107,58	-
25	1,5	140	25	18,0	14,5	23,50	107,58	-
25	2	140	25	18,0	14,5	23,00	122,32	-
26	1	140	25	18,0	14,5	25,00	122,65	-
26	1,5	140	25	18,0	14,5	24,50	122,54	-
26	2	140	25	18,0	14,5	24,00	129,14	-
27	1	140	25	20,0	16,0	26,00	129,14	-
27	1,5	140	25	20,0	16,0	25,50	126,72	-
27	2	140	25	20,0	16,0	25,00	127,82	-
28	1	140	25	20,0	16,0	27,00	127,82	-
28	1,5	140	25	20,0	16,0	26,50	126,06	-
28	2	140	25	20,0	16,0	26,00	127,82	-
30	1	150	28	22,0	18,0	29,00	152,35	-
30	1,5	150	28	22,0	18,0	28,50	152,35	-
30	2	150	28	22,0	18,0	28,00	152,35	-

*Prezzo a richiesta / Price on demand

Materiali / Application: P1 - P2 - P3 - P4 / K4 / N2 - N3 / N7 - N8 / N11

MASCHI A MACCHINA - MACHINE TAPS

MASCHI A MACCHINA **HSSE M35 5%Co**

SCANALATURE DIRITTE - Imbocco "C"



Filettatura metrica ISO/DIN 13 - UNI 4535 a passo fine - 6H

MACHINE TAPS **HSSE M35 5%Co**

STRAIGHT FLUTES - Chamfer form "C"


ISO Metric Fine Thread - UNI 4535 - DIN 13 - 6H


 HSSE



4521.0

DIN 374



DIN 374						4521.0	
D	P	L ₁	L ₂	d ₂	∅		
30	3	180	46	22,0	18,0	27,00	202,62
32	1,5	150	28	22,0	18,0	30,50	176,11
32	2	150	28	22,0	18,0	30,00	183,92
33	1,5	160	30	25,0	20,0	31,50	216,81
33	2	160	30	25,0	20,0	31,00	216,81
33	3	180	46	25,0	20,0	30,00	247,28
34	1	170	30	28,0	22,0	33,00	287,54
34	1,5	170	30	28,0	22,0	32,50	287,54
34	2	170	30	28,0	22,0	32,00	287,54
35	1,5	170	30	28,0	22,0	33,50	261,91
35	2	170	30	28,0	22,0	33,00	261,91
35	3	200	50	28,0	22,0	32,00	329,01
36	1	170	30	28,0	22,0	35,00	331,43
36	1,25	170	30	28,0	22,0	34,75	331,43
36	1,5	170	30	28,0	22,0	34,50	262,35
36	2	170	30	28,0	22,0	34,00	262,35
36	3	200	50	28,0	22,0	33,00	292,38
37	1	170	30	28,0	22,0	36,00	283,80
37	1,5	170	30	28,0	22,0	35,50	283,80
38	1	170	30	28,0	22,0	37,00	299,31
38	1,5	170	30	28,0	22,0	36,50	299,31
38	2	170	30	28,0	22,0	36,00	299,31
38	3	200	50	28,0	22,0	35,00	299,31
39	1	170	30	32,0	24,0	38,00	318,56
39	1,5	170	30	32,0	24,0	37,50	318,56
39	2	170	30	32,0	24,0	37,00	318,56
39	3	200	50	32,0	24,0	36,00	376,09
40	1	170	30	32,0	24,0	39,00	308,66
40	1,5	170	30	32,0	24,0	38,50	308,66
40	2	170	30	32,0	24,0	38,00	308,66
42	1,5	170	30	32,0	24,0	40,50	365,31
42	2	170	30	32,0	24,0	40,00	365,31
42	3	200	55	32,0	24,0	39,00	415,36

*Prezzo a richiesta / Price on demand

Materiali / Application: P1 - P2 - P3 - P4 / K4 / N2 - N3 / N7 - N8 / N11